ELSEVIER

Physica C 268 (1996) 347–349

PHYSICA C

Author Index to Volume 268

Adachi, S., see Tokiwa-Yamamoto, A., **268**, 191
Akhavan, M., see Yamani, Z., **268**, 78
Aligia, A.A., see Arrachea, L., **268**, 233
Altunbaş, M., see Dzhafarov, T.D., **268**, 143
Arrachea, L., A.A. Aligia and E. Gagliano, Study of the metal–insulator transition and superconducting correlations of a generalized Hubbard model, **268**, 233
Asaoka, H., Y. Kazumata, H. Takei and K. Noda, Effect of twin boundaries on flux pinning in $YBa_2Cu_3O_x$ single crystals, **268**, 14

Bäuerle, D., see Samadi Hosseinali, G., **268**, 307
Berthier, C., see Julien, M.-H., **268**, 197
Berthier, Y., see Julien, M.-H., **268**, 197
Bertinotti, A., V. Viallet, D. Colson, J.-F. Marucco, J. Hammann, G. Le Bras and A. Forget, Synthesis, crystal structure and magnetic properties of superconducting single crystals of $HgBa_2CuO_{4+\delta}$, **268**, 257
Bianconi, A., see Saini, N.L., **268**, 121

Capponi, J.-J., see Julien, M.-H., **268**, 197
Carretta, P., see Julien, M.-H., **268**, 197
Casañ-Pastor, N., see Ondoño-Castillo, S., **268**, 317
Chadwick, A.V., see Ghigna, P., **268**, 150
Chiodelli, G., see Ghigna, P., **268**, 150
Christen, D.K., see Hur, N.H., **268**, 266
Colson, D., see Bertinotti, A., **268**, 257

Daturi, M., M. Ferretti, E.A. Franceschi and M. Minguzzi, Enthalpy measurements on $Nd_{2-x}Ce_xCuO_4$ under oxygen pressure and thermodynamic potentials calculation, **268**, 300
Desgardin, G., see Rouessac, V., **268**, 225
Dzhafarov, T.D., A. Varilci, M. Sadygov and M. Altunbaş, The effect of Ag diffusion on properties of BiPbSrCaCuO thin films, **268**, 143

Ferretti, M., see Daturi, M., **268**, 300
Fiorani, D., A.M. Testa, R.D. Zysler, V. Rybachuk and F. Licci, Magnetic properties of $La_2Cu_{1-x}Zn_xO_{4+\delta}$, **268**, 71
Fischer, D.A., see Moodenbaugh, A.R., **268**, 107
Flor, G., see Ghigna, P., **268**, 150
Fontcuberta, J., see García-Muñoz, J.L., **268**, 173
Forget, A., see Bertinotti, A., **268**, 257
Forkl, A., see Jooss, Ch., **268**, 87
Franceschi, E.A., see Daturi, M., **268**, 300
Frank, H., R. Stollmann, J. Lethen, R. Müller, L.V. Gasparov, N.D. Zakharov, D. Hesse and G. Güntherodt, Preparation and magnetic properties of (Bi,Pb)-1212, **268**, 100
Fuchs, G., G. Krabbes, P. Schätzle, P. Stoye, T. Staiger and K.-H. Müller, High trapped fields in melt-textured YBCO samples, **268**, 115
Fuess, H., see Wiesner, J., **268**, 161
Fukumoto, Y., see Moodenbaugh, A.R., **268**, 107
Fukunaga, O., see Takemoto, M., **268**, 279
Fukushima, K., M. Okada, K. Tanaka, H. Kitaguchi, H. Kumakura, K. Togano, T. Kiyoshi and K. Inoue, Fabrication and transport properties of a solenoidal coil wound with $Bi_2Sr_2CaCu_2O_x$/Ag multifilamentary tapes for high magnetic field generation, **268**, 334

Gagliano, E., see Arrachea, L., **268**, 233
García-Muñoz, J.L., M. Suaaidi, J. Fontcuberta, S. Piñol and X. Obradors, Lattice compression and charge transfer in electron-doped $L_{2-x}Ce_xCuO_4$ superconductors, **268**, 173
Gasparov, L.V., see Frank, H., **268**, 100
Ghigna, P., G. Spinolo, M. Scavini, G. Chiodelli, G. Flor and A.V. Chadwick, Nature and amount of carriers in Ce-doped Nd_2CuO_4 II: Low temperature transport and XAS characterisation, **268**, 150
Gou, X.-Y., see Jia, C.-S., **268**, 41
Gundlach, K.H., see Maier, D., **268**, 26
Güntherodt, G., see Frank, H., **268**, 100

Hammann, J., see Bertinotti, A., **268**, 257
He, L.L., see Tanaka, Y., **268**, 133
Hesse, D., see Frank, H., **268**, 100
Hoellwarth, C., see Zhang, L., **268**, 287
Horiuchi, S., see Tanaka, Y., **268**, 133
Horvatić, M., see Julien, M.-H., **268**, 197
Huo, S., see Jia, C.-S., **268**, 41
Hur, N.H., M. Paranthaman, J.R. Thompson and D.K. Christen, Superconductivity in the indium-doped Tl-1223 phase: $(Tl_{0.8}In_{0.2})(Sr_{0.8}Ba_{0.2})_2Ca_2Cu_3O_{9-\delta}$, **268**, 266

Imagawa, Y. and Y. Shiohara, Effect of precursor processing on refinement of Y_2BaCuO_5 in melt-processed $YBa_2Cu_3O_{6+x}$ by unidirectional solidification, **268**, 61
Inoue, K., see Fukushima, K., **268**, 334
Irons, S.H., see Zhang, L., **268**, 287

Ishizuka, M., see Tanaka, Y., **268**, 133
Ito, T., see Saini, N.L., **268**, 121
Ivanov, V. and K. Kanoda, Strong electron correlations in κ-(BEDT-TTF)$_2$X salts, **268**, 205

Jia, C.-S., P.-Y. Lin, Y. Xiao, X.-W. Jiang, X.-Y. Gou, S. Huo, H. Li and Q.-B. Yang, Lattice dynamics study of $Tl_2Ba_2CaCu_2O_8$ high-temperature superconductor, **268**, 41
Jiang, X.-W., see Jia, C.-S., **268**, 41
Jooss, Ch., A. Forkl and H. Kronmüller, Simple model of vortex pinning at rough superconductor surfaces in $YBa_2Cu_3O_{7-\delta}$ thin films, **268**, 87
Julien, M.-H., M. Horvatić, P. Carretta, C. Berthier, Y. Berthier, P. Ségransan, S.M. Loureiro and J.-J. Capponi, ^{63}Cu and ^{199}Hg NMR in overdoped $HgBa_2CaCu_2O_{6+\delta}$, **268**, 197

Kanoda, K., see Ivanov, V., **268**, 205
Kao, H.-C.I., see Yuan, C.C., **268**, 128
Kawasaki, H., see Morimoto, A., **268**, 53
Kazumata, Y., see Asaoka, H., **268**, 14
Kikuchi, M., see Shida, M., **268**, 95
Kitaguchi, H., see Fukushima, K., **268**, 334
Kiyoshi, T., see Fukushima, K., **268**, 334
Koperdraad, R.T.W. and A. Lodder, Predictions about the proximity effect in a NbN/YH_x bilayer, **268**, 216
Krabbes, G., see Fuchs, G., **268**, 115
Kronmüller, H., see Jooss, Ch., **268**, 87
Kumakura, H., see Fukushima, K., **268**, 334
Kundzins, K., see Samadi Hosseinali, G., **268**, 307

Lan, M.D., see Zhang, L., **268**, 287
Lanzara, A., see Saini, N.L., **268**, 121
Le Bras, G., see Bertinotti, A., **268**, 257
Lethen, J., see Frank, H., **268**, 100
Li, H., see Jia, C.-S., **268**, 41
Licci, F., see Fiorani, D., **268**, 71
Lin, P.-Y., see Jia, C.-S., **268**, 41
Lindemer, T.B. and E.D. Specht, Nonstoichiometry and decomposition of $Pr_{1+z}Ba_{2-z}Cu_3O_y$ and comparison with Y123, La123 and Nd123, **268**, 271
Liu, J.Z., see Zhang, L., **268**, 287
Lodder, A., see Koperdraad, R.T.W., **268**, 216
Loureiro, S.M., see Julien, M.-H., **268**, 197

Maeda, H., see Tanaka, Y., **268**, 133
Maier, D., H. Rothermel, K.H. Gundlach and R. Zimmermann, Submicron Nb-Al/Al oxide-Nb tunnel junctions sandwiched between Al films, **268**, 26
Manzel, M., see Samadi Hosseinali, G., **268**, 307
Marucco, J.-F., see Bertinotti, A., **268**, 257
Mazaki, H., see Tochihara, S., **268**, 241
Mezzetti, E., see Samadi Hosseinali, G., **268**, 307
Minamikawa, T., see Morimoto, A., **268**, 53
Minguzzi, M., see Daturi, M., **268**, 300
Moodenbaugh, A.R., D.A. Fischer, Y.L. Wang and Y. Fukumoto, Superconductivity, oxygen content, and hole state density in $Bi_2Sr_{1.75}Ca_{1.25}Cu_2O_{8.18+y}$ $(-0.09 < y \leq 0)$ and $Bi_{1.6}Pb_{0.4}Sr_{1.9}Ca_2Cu_3O_z$, **268**, 107
Morimoto, A., H. Kawasaki, T. Minamikawa and T. Shimizu, Microwave-modulated nonresonant microwave absorption in $YBa_2Cu_3O_x$ high-T_c superconductors, **268**, 53
Müller, H., see Xenikos, D.G., **268**, 339
Müller, K.-H., see Fuchs, G., **268**, 115
Müller, R., see Frank, H., **268**, 100

Nagoshi, M., see Shida, M., **268**, 95
Namikawa, Y. and Y. Shiohara, Growth rate anisotropy of $YBa_2Cu_3O_{7-x}$ single crystals in the pulling method, **268**, 1
Navau, C., see Sanchez, A., **268**, 46
Noda, K., see Asaoka, H., **268**, 14

Obradors, X., see García-Muñoz, J.L., **268**, 173
Ohashi, N., see Takemoto, M., **268**, 279
Ohshima, E., see Shida, M., **268**, 95
Oka, K., see Saini, N.L., **268**, 121
Okada, M., see Fukushima, K., **268**, 334
Ondoño-Castillo, S. and N. Casañ-Pastor, Deposition of $YBa_2Cu_3O_{7-\delta}$ over metallic substrates by electrophoresis of suspensions in isobutylmethylketone. Influence of electric field, thermal and mechanical treatments, **268**, 317
Oota, A. and M. Tanaka, History effect and anisotropy of critical current density in screen-printed $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$/Ag tape, **268**, 295
Oyanagi, H., see Saini, N.L., **268**, 121

Paranthaman, M., see Hur, N.H., **268**, 266
Piñol, S., see García-Muñoz, J.L., **268**, 173
Preda, M. and H. Stenschke, Electromagnetic binding of a vortex line to a spherical cavity in a superconductor, **268**, 21
Provost, J., see Rouessac, V., **268**, 225
Proyer, S., see Samadi Hosseinali, G., **268**, 307

Rothermel, H., see Maier, D., **268**, 26
Rouessac, V., J. Wang, J. Provost and G. Desgardin, Processing and superconducting properties of highly textured Bi(Pb)-2223 ceramics by sinter-forging, **268**, 225
Rybachuk, V., see Fiorani, D., **268**, 71

Sadygov, M., see Dzhafarov, T.D., **268**, 143
Saini, N.L., A. Lanzara, A. Bianconi, H. Oyanagi, H. Yamaguchi, K. Oka and T. Ito, Temperature dependent Cu–O distribution function of the superconducting CuO_2 plane, **268**, 121
Samadi Hosseinali, G., W. Straif, B. Starchl, K. Kundzins, H.W. Weber, S.L. Yan, M. Manzel, E. Stangl, S. Proyer, D. Bäuerle and E. Mezzetti, Critical currents in Tl-2212 and Tl-2223 thin films, **268**, 307
Sanchez, A. and C. Navau, Vertical force, magnetic stiffness and damping for levitating type-II superconductors, **268**, 46
Scavini, M., see Ghigna, P., **268**, 150

Schätzle, P., see Fuchs, G., **268**, 115
Ségransan, P., see Julien, M.-H., **268**, 197
Shelton, R.N., see Zhang, L., **268**, 287
Shida, M., E. Ohshima, M. Kikuchi, M. Nagoshi and Y. Syono, Valence analysis of Pb and Cu and superconductivity of $(Pb,Cu)(Sr,La)_2CuO_y$, **268**, 95
Shimizu, T., see Morimoto, A., **268**, 53
Shiohara, Y., see Imagawa, Y., **268**, 61
Shiohara, Y., see Namikawa, Y., **268**, 1
Specht, E.D., see Lindemer, T.B., **268**, 271
Spinolo, G., see Ghigna, P., **268**, 150
Staiger, T., see Fuchs, G., **268**, 115
Stangl, E., see Samadi Hosseinali, G., **268**, 307
Starchl, B., see Samadi Hosseinali, G., **268**, 307
Stenschke, H., see Preda, M., **268**, 21
Stollmann, R., see Frank, H., **268**, 100
Stoye, P., see Fuchs, G., **268**, 115
Straif, W., see Samadi Hosseinali, G., **268**, 307
Strobel, P., see Xenikos, D.G., **268**, 339
Suaaidi, M., see García-Muñoz, J.L., **268**, 173
Syono, Y., see Shida, M., **268**, 95

Takei, H., see Asaoka, H., **268**, 14
Takemoto, M., N. Ohashi, T. Tsurumi, O. Fukunaga and J. Tanaka, Effect of lanthanide substitution on superconductivity of $La_{1.85-x}R_xCa_{1.15}Cu_2O_{6-\delta}$ (R = Pr, Nd and Y), **268**, 279
Tanabe, K., see Tokiwa-Yamamoto, A., **268**, 191
Tanaka, J., see Takemoto, M., **268**, 279
Tanaka, K., see Fukushima, K., **268**, 334
Tanaka, M., see Oota, A., **268**, 295
Tanaka, Y., M. Ishizuka, L.L. He, S. Horiuchi and H. Maeda, J_c property and microstructure of Bi2223 tapes made using AgCu alloy sheaths doped with Ti, Zr or Hf, **268**, 133
Tatsuki, T., see Tokiwa-Yamamoto, A., **268**, 191
Testa, A.M., see Fiorani, D., **268**, 71
Thompson, J.R., see Hur, N.H., **268**, 266
Tochihara, S., H. Yasuoka and H. Mazaki, Magnetization of type-II superconductors in the modified Bean model, **268**, 241
Togano, K., see Fukushima, K., **268**, 334
Tokiwa-Yamamoto, A., T. Tatsuki, S. Adachi and K. Tanabe, Superconductivity of $(Hg_{0.7}Tl_{0.3})_2Ba_2Y_{1-x}Ca_xCu_2O_{8-\delta}$ ($0 \leqq x \leqq 0.8$) with a wide range of doping state, **268**, 191
Træholt, C., see Wiesner, J., **268**, 161
Tsurumi, T., see Takemoto, M., **268**, 279

Varilci, A., see Dzhafarov, T.D., **268**, 143
Viallet, V., see Bertinotti, A., **268**, 257

Wang, C.M., see Yuan, C.C., **268**, 128
Wang, J., see Rouessac, V., **268**, 225
Wang, Y.L., see Moodenbaugh, A.R., **268**, 107
Weber, H.W., see Samadi Hosseinali, G., **268**, 307
Wen, J.-G., see Wiesner, J., **268**, 161
Wiesner, J., C. Træholt, J.-G. Wen, H.-W. Zandbergen, G. Wirth and H. Fuess, High resolution electron microscopy of heavy-ion induced defects in superconducting Bi-2212 thin films in relation to their effect on J_c, **268**, 161
Wirth, G., see Wiesner, J., **268**, 161
Wu, D.S., see Yuan, C.C., **268**, 128

Xenikos, D.G., H. Müller and P. Strobel, Redox intercalation of iodine into $Bi_2Sr_2Ca_{n-1}Cu_nO_x$ ($n = 2, 3$), **268**, 339
Xiao, Y., see Jia, C.-S., **268**, 41

Yamaguchi, H., see Saini, N.L., **268**, 121
Yamani, Z. and M. Akhavan, Role of Pr substitution as deoxygenation in suppression of superconductivity in GdPr-123 system, **268**, 78
Yan, S.L., see Samadi Hosseinali, G., **268**, 307
Yang, Q.-B., see Jia, C.-S., **268**, 41
Yasuoka, H., see Tochihara, S., **268**, 241
Yuan, C.C., D.S. Wu, C.M. Wang and H.-C.I. Kao, Superconductivity of $La_{1.5-x/2}Sr_xBa_{1.5-x/2}Cu_3O_y$ compounds, **268**, 128

Zakharov, N.D., see Frank, H., **268**, 100
Zandbergen, H.-W., see Wiesner, J., **268**, 161
Zhang, L., J.Z. Liu, C. Hoellwarth, S.H. Irons, R.N. Shelton and M.D. Lan, Hysteresis loop, irreversibility line and flux creep studies in $TlBa_2Ca_3Cu_4O_{11-\delta}$ single crystals, **268**, 287
Zimmermann, R., see Maier, D., **268**, 26
Zysler, R.D., see Fiorani, D., **268**, 71

ELSEVIER

Physica C 268 (1996) 350–351

PHYSICA C

Analytic Subject to Volume 268

Antiferromagnetic order
–in $La_2Cu_{1-x}Zn_xO_{4+\delta}$ 71
Application of high-T_c superconductors 115
Applications of high-T_c superconductors 46, 334

Band structure
–of κ-ET_2X 205
Beam model 241

Charge transfer
–in $L_{2-x-y}L'_yCe_xCuO_4$ 173
Coulomb interactions 233
–in κ-ET_2X 205
Critical current density
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$/Ag 295
–of $(Bi,Pb)Sr_2(Y,Ca)Cu_2O_{7-z}$ 100
–of Bi(Pb)-2223 225
–of Bi-2223 tape 133
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ thin films 161
–of Tl-2212 307
–of Tl-2223 307
–of $TlBa_2Ca_3Cu_4O_{11-\delta}$ 287
–of YBCO 115
–of $YBa_2Cu_3O_x$, single-crystal 14
–of $YBa_2Cu_3O_{7-\delta}$ 87

Directional solidification 61

EXAFS
–of $La_{1.85}Sr_{0.15}CuO_4$ single crystal 121
Electrical resistivity 26
–of $(Hg_{0.7}Tl_{0.3})_2Ba_2Y_{1-x}Ca_xCu_2O_{8-\delta}$ 191
–of $L_{2-x-y}L'_yCe_xCuO_4$ 173
–of BiPbSrCaCuO films 143
–of $Gd_{1-x}Pr_xBa_2Cu_3O_{7-y}$ 78
–of $La_{1.85-x}R_xCa_{1.15}Cu_2O_{6-\delta}$ 279
–of $Nd_{2-x}Ce_xCuO_{4+\delta}$ 150
–of $Pb_{0.5}Cu_{0.5}Sr_{2-x}La_xCuO_y$ 95
–of $Pb_{0.6}Cu_{0.4}Sr_{2-x}La_xCuO_y$ 95
Electron-doped superconductors 300
Electron-phonon coupling 41

Flux creep
–in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$/Ag 295
–in $TlBa_2Ca_3Cu_4O_{11-\delta}$ 287
Flux pinning 21
–in $YBa_2Cu_3O_x$, single-crystal 14
–in $YBa_2Cu_3O_{7-\delta}$ 87
Flux-pinning
–in $(Bi,Pb)Sr_2(Y,Ca)Cu_2O_{7-z}$ 100

Grain alignment (texturing) 115
Growth rate
–of $YBa_2Cu_3O_{7-x}$ single crystals 1

HREM
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ thin films 161
Hole concentration
–in $Bi_{1.6}Pb_{0.4}Sr_{1.9}Ca_2Cu_3O_z$ 107
–in $Bi_2Sr_{1.75}Ca_{1.25}Cu_2O_{8.18+y}$ 107
–in $La_{1.5-x/2}Sr_xBa_{1.5-x/2}Cu_3O_y$ 128
Hubbard model 233

Intercalation 339
Iodine treatment
–of $Bi_2Sr_2Ca_{n-1}Cu_nO_x$ 339
Irradiation effect
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ thin films 161
Irreversibility line
–in $TlBa_2Ca_3Cu_4O_{11-\delta}$ 287

Josephson effect 26

Lattice dynamics
–of $Tl_2Ba_2CaCu_2O_8$ 41
Levitation 46

Magnetiazation
–of $TlBa_2Ca_3Cu_4O_{11-\delta}$ single crystal 287
Magnetic susceptibility
–of $(Tl_{0.8}In_{0.2})(Sr_{0.8}Ba_{0.2})_2Ca_2Cu_3O_{9-\delta}$ 266
–of $HgBa_2CuO_{4+\delta}$ single crystal 257
–of $La_{1.85-x}R_xCa_{1.15}Cu_2O_{6-\delta}$ 279
Magnetization 46, 241
–of $(Bi,Pb)Sr_2(Y,Ca)Cu_2O_{7-z}$ 100
–of $La_2Cu_{1-x}Zn_xO_{4+\delta}$ 71
Metal-insulator transition 233
Microstructure
–of Bi-2223 tape 133
–of $YBa_2Cu_3O_{6+x}$ 61
Microwave absorption 26
Microwave modulation 53

NMR
–in $HgBa_2CaCu_2O_{6+\delta}$ 197
NQR
–in $HgBa_2CaCu_2O_{6+\delta}$ 197
Nonresonant microwave absorption
–in $YBa_2Cu_3O_x$ 53
Normal state properties
–of $La_2Cu_{1-x}Zn_xO_{4+\delta}$ 71
n-type superconductors 150

Organic superconductor 205
Oxygen depletion
–in $Gd_{1-x}Pr_xBa_2Cu_3O_{7-y}$ 78
Oxygen stoichiometry
–in $(Hg_{0.7}Tl_{0.3})_2Ba_2Y_{1-x}Ca_xCu_2O_{8-\delta}$ 191
–in $Bi_{1.6}Pb_{0.4}Sr_{1.9}Ca_2Cu_3O_z$ 107
–in $Bi_2Sr_{1.75}Ca_{1.25}Cu_2O_{8.18+y}$ 107
–in $Pb_{0.5}Cu_{0.5}Sr_{2-x}La_xCuO_y$ 95
–in $Pb_{0.6}Cu_{0.4}Sr_{2-x}La_xCuO_y$ 95
–of $La_{1.5-x/2}Sr_xBa_{1.5-x/2}Cu_3O_y$ 128
–of $Pr_{1+z}Ba_{2-z}Cu_3O_y$ 271

Pair distribution function 121
Phase diagram
–of NbN/YH_x bilayer 216
–of $Nd_{2-x}Ce_xCuO_4$ 300
Phonon spectrum
–of $Tl_2Ba_2CaCu_2O_8$ 41
Pinning force
–in $YBa_2Cu_3O_{7-\delta}$ 87
Proximity effect
–in NbN/YH_x bilayer 216

SEM
–of $YBa_2Cu_3O_{7-\delta}$ coatings 317
STM
–of Tl-2212 thin film 307
–of Tl-2223 thin film 307
Solenoidal coil 334
Spin fluctuations
–in $HgBa_2CaCu_2O_{6+\delta}$ 197
Spin-lattice relaxation time T_1
–in $HgBa_2CaCu_2O_{6+\delta}$ 197
Structure
–of $(Bi,Pb)Sr_2(Y,Ca)Cu_2O_{7-z}$ 100
–of $(Hg_{0.7}Tl_{0.3})_2Ba_2Y_{1-x}Ca_xCu_2O_{8-\delta}$ 191
–of $(Tl_{0.8}In_{0.2})(Sr_{0.8}Ba_{0.2})_2Ca_2Cu_3O_{9-\delta}$ 266
–of $L_{2-x-y}L'_yCe_xCuO_4$ 173
–of Bi(Pb)-2223 225
–of $Bi_2Sr_2Ca_{n-1}Cu_nO_x$ 339
–of BiPbSrCaCuO films 143
–of $HgBa_2CuO_{4+\delta}$ 257
–of $La_{1.85}Sr_{0.15}CuO_4$ 121
–of $La_{1.85-x}R_xCa_{1.15}Cu_2O_{6-\delta}$ 279
–of $Pb_{0.5}Cu_{0.5}Sr_{2-x}La_xCuO_y$ 95
–of $Pb_{0.6}Cu_{0.4}Sr_{2-x}La_xCuO_y$ 95
Substitution effect
–in $Gd_{1-x}Pr_xBa_2Cu_3O_{7-y}$ 78
Substitution effects 71
Surface barrier 241
Surface morphology
–of $YBa_2Cu_3O_{7-x}$ single crystals 1
Synthesis
–of $(Tl_{0.8}In_{0.2})(Sr_{0.8}Ba_{0.2})_2Ca_2Cu_3O_{9-\delta}$ 266
–of Bi(Pb)-2223 225
–of Bi-2212 multifilamentary tapes 334
–of Bi-2223 tape 133
–of $HgBa_2CuO_{4+\delta}$ single crystals 257
–of $Pr_{1+z}Ba_{2-z}Cu_3O_y$ 271
–of Tl-2212 thin films 307
–of Tl-2223 thin films 307
–of $YBa_2Cu_3O_x$, single-crystal 14
–of $YBa_2Cu_3O_{6+x}$ 61
–of $YBa_2Cu_3O_{7-\delta}$ coatings 317
–of $YBa_2Cu_3O_{7-x}$ single crystals 1

Thermal analysis
–of $Nd_{2-x}Ce_xCuO_4$ 300
Tunnel junctions 26
Twin boundaries
–in $YBa_2Cu_3O_x$, single-crystal 14

Weak links 295

X-ray diffraction
–of BiPbSrCaCuO films 143
–of $YBa_2Cu_3O_{7-\delta}$ coatings 317
XAFS
–of $Nd_{2-x}Ce_xCuO_{4+\delta}$ 150

ELSEVIER

Physica C 268 (1996) 352–353

PHYSICA C

Materials Index to Volume 268

Bi(Pb)-2223
–critical current density 225
–structure 225
–synthesis 225
Bi-2212 multifilamentary tapes
–synthesis 334
Bi-2223 tape
–critical current density 133
–microstructure 133
–synthesis 133
$Bi_{1.6}Pb_{0.4}Sr_{1.9}Ca_2Cu_3O_z$
–hole concentration 107
–oxygen stoichiometry 107
$(Bi,Pb)_2Sr_2Ca_2Cu_3O_x/Ag$
–critical current density 295
–flux creep 295
$Bi_2Sr_{1.75}Ca_{1.25}Cu_2O_{8.18+y}$
–hole concentration 107
–oxygen stoichiometry 107
$Bi_2Sr_2Ca_{n-1}Cu_nO_x$
–iodine treatment 339
–structure 339
$Bi_2Sr_2CaCu_2O_{8+\delta}$ thin films
–critical current density 161
–hREM 161
–irradiation effect 161
BiPbSrCaCuO films
–electrical resistivity 143
–structure 143
–x-ray diffraction 143
$(Bi,Pb)Sr_2(Y,Ca)Cu_2O_{7-z}$
–critical current density 100
–flux-pinning 100
–magnetization 100
–structure 100

κ-ET_2X
–band structure 205
–coulomb interactions 205

$Gd_{1-x}Pr_xBa_2Cu_3O_{7-y}$
–electrical resistivity 78
–oxygen depletion 78
–substitution effect 78

$HgBa_2CaCu_2O_{6+\delta}$
–nMR 197
–nQR 197
–spin fluctuations 197
–spin-lattice relaxation time T_1 197
$HgBa_2CuO_{4+\delta}$ single crystal
–magnetic susceptibility 257
$HgBa_2CuO_{4+\delta}$ single crystals
–synthesis 257
$HgBa_2CuO_{4+\delta}$
–structure 257
$(Hg_{0.7}Tl_{0.3})_2Ba_2Y_{1-x}Ca_xCu_2O_{8-\delta}$
–electrical resistivity 191
–oxygen stoichiometry 191
–structure 191

$La_{1.5-x/2}Sr_xBa_{1.5-x/2}Cu_3O_y$
–hole concentration 128
–oxygen stoichiometry 128
$La_{1.85}Sr_{0.15}CuO_4$ single crystal
–eXAFS 121
$La_{1.85}Sr_{0.15}CuO_4$
–structure 121
$La_{1.85-x}R_xCa_{1.15}Cu_2O_{6-\delta}$
–electrical resistivity 279
–magnetic susceptibility 279
–structure 279
$La_2Cu_{1-x}Zn_xO_{4+\delta}$
–antiferromagnetic order 71
–magnetization 71
–normal state properties 71
$L_{2-x-y}L'_yCe_xCuO_4$
–charge transfer 173
–electrical resistivity 173
–structure 173

NbN/YH_x bilayer
–phase diagram 216
–proximity effect 216
$Nd_{2-x}Ce_xCuO_{4+\delta}$
–electrical resistivity 150
–xAFS 150
$Nd_{2-x}Ce_xCuO_4$
–phase diagram 300
–thermal analysis 300

$Pb_{0.5}Cu_{0.5}Sr_{2-x}La_xCuO_y$
–electrical resistivity 95
–oxygen stoichiometry 95
–structure 95
$Pb_{0.6}Cu_{0.4}Sr_{2-x}La_xCuO_y$
–electrical resistivity 95
–oxygen stoichiometry 95
–structure 95
$Pr_{1+z}Ba_{2-z}Cu_3O_y$
–oxygen stoichiometry 271
–synthesis 271

Tl-2212 thin film
–sTM 307
Tl-2212 thin films
–synthesis 307
Tl-2212
–critical current density 307
Tl-2223 thin film
–sTM 307
Tl-2223 thin films
–synthesis 307
Tl-2223
–critical current density 307
$Tl_2Ba_2CaCu_2O_8$
–lattice dynamics 41
–phonon spectrum 41
$TlBa_2Ca_3Cu_4O_{11-\delta}$ single crystal
–magnetiazation 287
$TlBa_2Ca_3Cu_4O_{11-\delta}$
–critical current density 287
–flux creep 287
–irreversibility line 287
$(Tl_{0.8}In_{0.2})(Sr_{0.8}Ba_{0.2})_2Ca_2Cu_3O_{9-\delta}$
–magnetic susceptibility 266
–structure 266
–synthesis 266

YBCO
–critical current density 115
$YBa_2Cu_3O_x$, single-crystal
–critical current density 14
–flux pinning 14
–synthesis 14

–twin boundaries 14
$YBa_2Cu_3O_x$
–nonresonant microwave absorption 53
$YBa_2Cu_3O_{6+x}$
–microstructure 61
–synthesis 61
$YBa_2Cu_3O_{7-\delta}$ coatings
–sEM 317
–synthesis 317
–x-ray diffraction 317
$YBa_2Cu_3O_{7-\delta}$
–critical current density 87
–flux pinning 87
–pinning force 87
$YBa_2Cu_3O_{7-x}$ single crystals
–growth rate 1
–surface morphology 1
–synthesis 1